

SIMPLE SIGNS FOR RIGHT-OF-WAY MANAGEMENT

or

ALLITERATIONS ARTFUL AID TO PUBLIC UNDERSTANDING

Presented at the

Canadian Electrical Association Conference

Ottawa

October 20 - 22, 1975

M. R. Gardner

# SIMPLE SIGNS FOR RIGHT-OF-WAY MANAGEMENT

or

## ALLITERATIONS ARTFUL AID TO PUBLIC UNDERSTANDING

1/ M. R. Gardner

### ABSTRACT

This paper reviews the change in our society that has lead to an apparent mistrust by the general public of large government bodies and the methods they employ to resolve operating difficulties. A utility crown corporation, and the impact of its operations in transmitting electricity to urban centres is taken as an example. The process through which critics of the present system accrue and comprehend knowledge is discussed. The accuracy and objectivity of sources of information is reviewed. One facet of the tasks facing an electrical utility in maintaining services against the intrusions of nature is examined in detail using alliteration as a mechanism to convey a simple theme which can be used to enhance public appreciation of the problem-solving process.

### Rights, and Rights-of-Way

The complexities of life in our urbanized world challenge comprehension, frustrating the individual and disenchanting the public. It was not always thus. In earlier days Canadian development was predominantly rural in focus. The Church and community hall were the centre-points

1/ M. R. Gardner  
Environmental Advisor  
British Columbia Hydro & Power Authority

of social life at a time when social values were clear, morality non-secular, and authority respected.

Wise men governed or were thought to govern. The pace of change for the most part allowed men to comprehend their life day by day. Technocracy had not arrived. When it did, the stable social fabric was rent apart. And the cities grew. And the civil servant came. The private individual seemed happy to vest his own responsibility to care for aspects of life in the hands of others who society had judged by education were best able to make decisions for the collective good. But in order that collective man could exert his will on the public servant, a democratic process allowed for the appointment of wise, or well-heeled men from the community to be appointed for a short term to rule and test their ideas on how life should be. Collectively those who thought alike called themselves a "party", and their ideas a "platform". When life was predominantly georgic the citizen knew and could communicate readily with his elected representative and influence his party manifesto. He could probably grasp the issues of the day and the decisions of those who governed him. Then, the politician did represent and reflect public opinion.

As the 20th century draws to a close we may ask why the present public disillusionment? Where has that trust, once unchallenged, lost its full measure? Do we slip towards the chasm of anomy? Should we

absterge the slate, bury democracy and wait? I think not. We must find ways to rejuvenate the process which allows simple communication and understanding backwards and forwards through the three levels of society: political, civil, and individual. We must distil the values, goals, and policies of a specialized few into terms readily understood by all.

Avenues of expression for man's disenchantment with the political and planning processes are now beginning to develop. New names have been coined to embrace the philosophy of soliciting feelings from the ordinary man about technology; normally exercised when a specific technology is just about to creep stealthily towards his back door! "Social impact study", "public planning", "public involvement", are terms readily becoming the jargon of those bent on eutechnics.

This short paper attempts to extract a small finite segment from the seemingly infinite complexities of our technology, and sift out some germane precepts which will assist in understanding the process, the logic, behind the actions of the "faceless fugacious few" charged with managing some say a subtle menacing technology - that of the electrical utility right-of-way.

### Growth and Change


As the fabric of our society changed and the cities grew, each conurbation needed more energy to support the new life; energy to work by and energy to rest by. Electricity, clean and inexpensive, became an attractive energy form to satiate that demand until today it represents about 25% of all energy consumed in North America. Present predictions indicate an increase to 43% by 1990. Thus, energy consumption is expected to increase by about 280% during the period 1970-1990. Sadly any slowdown in population growth will not materially effect the increasing use of electricity. The per capita demand for this form of energy has been growing five times faster than the population. And the depletion of the world's hydrocarbon reserves can only but exacerbate that growth rate. With the growth of load has come, for most utilities, an exhaustion of generation sites contiguous with the urban centres which they serve. As generation became further and further removed from the consumer, transmission corridors stretched. But unlike elastic they became both longer and wider at once in a simple sequence. As distance increased, voltage increased, and consequently structure size increased, and, since electricity has developed the art of hopping from one place to another the clearances between conductor and any close associates forced the widening of each right-of-way.

In 1950 in North America it is estimated that there were less than 17 million acres included in urban areas. By 1960 this number had increased to over 21 million acres and that figure is expected to have double by the year 2000. With the increase in population and the steady migration towards urban areas, roughly 80% of the population is expected to live in or around the cities by 1980. Rights-of-way which serve these cities are presently estimated at almost 400,000 miles collective length, pre-empting some 4,500,000 acres. Right-of-way width will continue to increase with voltage. It is predicted that 500 KV transmission will rise from 10,000 miles in 1970 to 40,000 in 1990, 765 KV from 600 to 10,000 miles and 750 DC from 850 to greater than 1500 miles. By 1990 it is thought that utility rights-of-way will approach 1 million miles occupying perhaps 10 million acres. The conflict grows.

Rights-of-way are thus with us and are seen to be with us. And the public is not happy. Those trusted with guardianship of the simple man's domain have spawned some ugly children and strung them out across the countryside for all to admire. And, as soon as nature tried to clothe her wounds with green, she was fought until she turned brown and sullen. The common man comforted nature and was very angry with anyone who would listen, which most utilities did not. So he turned to the politician to change what he did not like, and to argue his case he began to search out "facts".

Facts and Falacies

The critics turned to obvious sources of information, the press and quasi-scientific journals. However, before discussing these in more depth it is prudent to look first at how man interacts with information.



In order to graphically illustrate that man attains varying levels of understanding, hypothetically stand within the bounds of a diamond. Imagine one end forms the specific problem focus. Our knowledge regarding a particular problem is reflected by our placing in the diamond. If our depth of knowledge is minimal we may place ourselves in the quadrant of ignorance. As our breadth of knowledge increases we move towards the quadrant of vision. Here a few may understand the limits of pertinent information and the diamond's placement relative to other issues. The more complex the problem the fewer minds embrace the quadrant of vision.

The diamond has a central axis. Deviations from this axis are reductions in our objectivity in viewing facts. In examining a problem and in communicating the selection of solutions, account should be taken of the imprinted biases below which form or have formed every man's character to varying degrees.

Upbringing  
Formal Education  
Ego  
Past Experience  
Learnt Values  
Greed  
Prejudice  
Faulty Reasoning  
Righteousness  
Complacency  
Expediency  
Disinterest  
Use of Trivia  
Etc.



Not only does man warp his information, he readily forgets it. Typical memory curves show that within two days people forget 20% of what they have learned. Within four days 40%, nine days 60% and in a month 75% is lost.

Upbringing and education form the basis of each man's catalogue of information. Inate ability, experience, and learning will shape his retention and colouration of facts. In adult life, reading, watching, talking, and employment, play principal roles in the receipt of information. Information will be forgotten, discarded or retained depending on interest, form of presentation, and for some, deductive reasoning.

For the most part people will believe what they read or hear. And for the most part this information is provided by the media. However, only 12% of those surveyed in Canada felt that the press was very honest in its reporting and 59% expressed doubts about the quality of information they received. For Canadian news, individuals in the survey relied 48% on television, 19% on radio, and 29% on newspapers. About 50% felt that television was credible in presenting Canadian news compared with 17% for radio and 26% for newspapers. 55% of those surveyed felt that the newspapers required the most energy and concentration to understand.

It is not reasonable to draw specific conclusions from this data. However, the aggregate of these observations allied with our differing abilities to comprehend the intended meaning of words, aptly summarized in this conversation

"When I use a word," Humpety Dumpety said, in rather a scornful tone, "it means just what I choose it to mean - neither more nor less."

"The question is," said Alice, "whether you can make words mean so many different things."

"The question is," said Humpety Dumpety, "which is to be the master - that's all". "


has meant that many critics of utility operations have come armed with an array of dubious information with which to challenge the status quo. The opposing forces met head on and open confrontation often grew from corporate rebuttle, silence or inertia. The critics became more insistent and marshalled more "facts". Few, however, could grasp either the administrative or technical processes which even from within are complex and often intimidating. Change was slow but a pattern of dialogue has thankfully evolved. Belatedly, democratic reconciliation replaces mistrust.

### Simple Signs

A simple portrayal of the factors which influence right-of-way management tasks is the fundamental thesis of this paper. But to assist those in

the quadrant of ignorance and those in the quadrant of limited learning, we must set the stage before we bring on the individual characters. There is no obfuscated mystery to this. It is no more than a logical progression through the administrative process which culminates in staff in the field employing various techniques to overcome various problems. What we must convey to those who watch the play is that we have no desire to leave behind a bitter aftertaste when such work is done. We must show that we have clearly considered the impact of our duties on man and his environment and denegated neither.

A simple model may be drawn which shows the principle Elements and Functions of the electrical utility.



For an example I have taken one element of utility operations and listed some of the tasks which evolve from the Function of routine maintenance.

Element

Transmission

Function

Maintenance

Tasks

Re-clearing	Water crossing construction and maintenance
Bulldozing	Water crossing repair
Scarifying	Helicopter landing site clearing and maintenance
Stump removal	Road crossing screening
Burning	Road crossing pruning
Seeding	Selective cutting maintenance
Right-of-way inspection and policing of easements	Chipping of debris
Multiple land user supervision	Recreational facility servicing
Erosion observation, control and maintenance	Tower inspection
Stream observation, control and maintenance	Tower painting
	Insulator washing

Rubbish collection and disposal	Noxious weed spraying
Sign placement and maintenance	Noxious weed chemical treatment - other
Fence and building grounding	Grass cutting - machine
Fence and gate construction and repair	Grass cutting - hand
Danger tree determination and removal	Grass growth control - chemical
Woody brush cutting - machine	Pole treatment
Woody brush cutting - hand	Liaison with property owners
Woody brush spraying	Applied research and development
Woody brush chemical treatment - other	- material
	- equipment
	- techniques

It is now possible to take one major task and examine it in greater detail.

### Vegetation Control

Vegetation has some endearing and some dubious characteristics in the eyes of the utility vegetation manager. Phanerophytes, the tall woody plants, may either

Endanger

or

Enhance

utility operations.

The problem of hazard intensifies depending on the rate of growth of the vegetation which is governed by

Species  
Season  
Sustenance  
Sun  
Site  
Soil  
Slope.

That vegetation is a problem to the utility should be clearly developed into a Task Rationale. In this way, the layman who does not know may come to learn why a particular job is necessary. The assumption that a vegetation problem exists can be verified by identifying the

Source  
Sign  
Size  
Severity  
Significance  
&  
Solution.

If we use Predictive Planning in management it is possible by experience to predetermine the problem factors and move to treat them properly before the "Sign" is a service interruption or an angry customer, probably from the quadrant of ignorance, berating the powers-that-be to get out and do something!

The resulting tasks to control the errant vegetation will have five task needs

- Men
- Methods
- Machinery
- Materials
- Money

Each will have some components which will influence the choice of alternatives within each need.

METHODS

MEN

MACHINERY

Legality

Education

Suitability

Admin. complexity

Training

Proven Reliability

Interperative simplicity

Qualifications

Safety

Safety

Experience

Cost - Capital

Continued



METHODS

MEN

MACHINERY

Efficiency

Rank

Cost - Operating

Flexibility

Job Title

Depreciation

Alternatives

Job Description

Design

Guidelines

Salary

Maintenance

Standards

Mobility

Adaptability

Records

Aspirations

Efficiency

Presentation

Affiliations

Availability

Communication

Creative Freedom

Utilization

Working Conditions

Morale

MATERIALS

MONEY

Hazard

Fiscal Controls

Public Acceptance

Wages

Cost

Capital Available

Form

Borrowed Cost

Dependability

Cost Sharing

Supply

Priority of Tasks

Packaging

Budget Requirement Trends

Efficacy

Amortization Period

Availability

Method is the crucial factor for it is here that the dichotomy of understanding between public man and the managing man is crystalized. Here is it incumbent on the problem manager to clearly identify his alternatives and to lay out the reasons for his choice of a particular solution. The public man can then see if the rationale justifies the method. For vegetation control on rights-of-way the alternatives are simple.

Cut  
Chemical  
Cultivate  
Combust  
Collocate  
or  
Combinations.

As the use of chemical vegetation control has been contentious and vexatious it may help to expericate the basic decisions which should underlie the choice of this particular technique.

Chemical Vegetation Control

Herbicide categories

selective

growth regulation

non-selective

Task requires - selective woody growth control = Selective Herbicide

Technique used -

dictated by: environmental consideration, safety, public pressure, aesthetics, crop proximity, time of year, density, % and height of undesirable vegetation, accessibility and topography, equipment availability and operator skill, experience and cost.

Dormant

Stem Foliage

Pellet

Specific chemical choice -

dictated by: weed species, label recommendations, Provincial recommendations, cost, packaging, toxicity, climate, applicator training, equipment available, chemical characteristics, past research and experience.

Type -

dictated by: formulation, active ingredient %, need for additives or carrier, odor, effect of temperature, efficacy, resistance solubility, experience.

active ingredient %, size, type of carrier, shape.

Rate -

dictated by: label recommendations, Provincial recommendations, own research and experience, cost, density of undesirable species, % of resistant species, % control desired.

Application technique used -

dictated by: weed density, size of area, topography, line protection priority, equipment and operator skill.

Application Categories

Spot

broadcast or spot

broadcast or spot

Application method -

dictated by: weed density, availability of equipment, operator skill, the preceding criteria.

	broadcast		broadcast	
hydraulic sprayer, mist blower, knapsak sprayer	<u>air</u> thickened or microfoil boom	or hydraulic sprayer invert emulsion sprayer	<u>air</u> centrifical venturi	or ground mechanical or hand centrifical throw bar spreader mist blower
	spot		spot	
	mechanical or hand mist blower	backpack dribble bar hand sprayer	mechanical or hand mist blower	shaker measure

Once we have finally reached our decision as to the alternative which is chosen for any particular task, the logistics of approach must be defined. Again a simple alliteration suffices to show the questions a manager must ask as he plans the execution of a task.

- Who
- What
- Where
- When
- &
- Why.

Summary

For those whose retention curves follow the pattern which opened the section on Facts and Falacies, I trust that within nine days you will have forgotten almost all of this paper. However, the paragraphs are merely here to tie one alliteration to another and provide a perspective in which to place the concept. I have used vegetation control only as a vehicle for simplicity. The same idea may assist you in painting your picture for the layman to see and understand your problems. Allow your critics the tools to be constructive. Listen carefully to your fellow man. Replace today's emnity with tomorrow's agnation.

## LITERATURE REFERENCES

- Bagge, C. E. Working Committee on Utilites - Report to Vice-President And to President's Council On Recreation And Natural Beauty. U. S. Government Printing Office. 1968.
- Canadian Electrical Association. Environmental Guidelines. Canada. 1975.
- Carroll, L. Alice Through The Looking Glass. Kingsport Press.
- Croucher, H. The Agonized Approach vs The Organized Approach. Electrical Contractor And Maintenance Supervisor. 1975.
- Davey, K. Report Of The Special Senate Committee On Mass Media. Queen's Printer. Ottawa, 1970.
- Electric Utility Industry - Task Force On Environment. The Electric Utility And The Environment. U. S. Printing Office. New York. 1968.
- Gardner, M. R. Consideration Of An Environmental Maintenance Group Within Electrical Operations: A Task And Implementation Analysis. B. C. Hydro and Power Authority. Vancouver, Canada. 1973.
- Pollock, T. Eliminate Misunderstanding By Getting The Most Out Of Words. Telephony. September, 1974.
- Pyron, H. C. Communication And Negotiation. Publishers Press, Inc. 1972.
- Robinette, G. O. Energy And Environment. Kendall/Hunt Publishing Co. 1973.
- Sinclair, G. The Case For Public Involvement In Planning. Office of the Publisher. Study Director. Penticton, B. C. 1974.
- U. S. Departments of Interior and Agriculture. Environmental Criteria For Electric Transmission Systems. U. S. Government Printing Office. Washington, D. C. 1970.
- U. S. Federal Power Commission. The 1970 National Power Survey Guidelines For Growth Of The Electric Power Industry. U. S. Government Printing Office. Washington, D. C. 1971.
- Western Systems Co-Ordinating Council. Environmental Guidelines. Los Angeles, California, 1971.